

## Scissor Lift

Used Scissor Lift Santa Clara - The industrial equipment that utilizes crisscrossed steel linked arms is scissor lifts. This equipment is utilized to create an “X” patterned support in order to accomplish vertical lifting. The scissor lift has a rectangular platform attached to the top of it. For additional operator safety and to keep items along the edge of the platform secure, there are support railings. The scissor lift has a low profile to maintain stability on hard, compact surfaces like concrete. Scissor lifts can use an electric motor or a combustion engine to transport and lift the machine. The scissor lift operates on a vertical plane and if the operator needs to move the lift horizontally, they have to reposition the machine. The lifting components of both regular lift models and rough terrain units rely on the same lifting technology. The rough terrain units are designed for driving on gravel and uneven surfaces. Higher ground clearance and oversized all-terrain tires enable these machines to travel to tricky locations. These scissor lifts feature 4WD to get through muddy and difficult terrain. Lower lifting heights are offered due to the higher center of gravity. Scissor lifts can seem intimidating if you have not used one before. Images of swaying in the wind and being precariously balanced may come to mind. Feel secure knowing you will not feel the lift even moving and you will be in a stable position. Numerous safety tests need to be completed prior to being capable of being sold. It is natural to feel uncomfortable if you are new to this type of equipment. Safety precautions need to be maintained at all times. Depending on the application, there are a variety of electric scissor lift models to pick from. The unit you need will vastly depend on the kind of work you need to do. How high you need to travel and how heavy the loads you will be transporting are all key factors. There are different models on the market that can help you reach various heights. Compact units are often used for interior locations including factories, warehouses or freight locations. There is no need to purchase the largest model on the market if you are not going to require the fullest capacity. Optional railings and platforms are available on electrical scissor lifts to provide maximum safety. These machines are designed to be reliable and safe. If these machines did not follow strict safety rules and particular inspections, they would not be for sale across the globe. These machines help us facilitate tasks that would otherwise not be possible. These lifts elevate vertically; therefore, the machine is parked in place prior to lifting. The operator needs to move the unit into the correct position before engaging the lift. There are a variety of safety features incorporated into the design. Following operational guidelines is essential for everyone’s safety. Scissor lifts offer a secure basket workspace making many tasks much safer than trying to complete while dangling off of a ladder or scaffolding. Most scissor lifts utilize internally mounted batteries located inside the base of the machine to provide power. Electric scissor lifts need to be charged regularly; especially after prolonged work shifts. Many operations charge their equipment daily or change batteries every twelve hours. To facilitate scissor lift charging, the operator can park the machine close to an electrical outlet in a well-ventilated place. When the machine is parked, the emergency shut-off switch becomes engaged to stop. The sizeable red button found inside of the basket or the lift located near the charger or control box is the emergency shut-off switch. Newer scissor lifts commonly have their battery charger on the right side of the unit. Older machines may feature a battery charger on the rear of the machine. The charger for the machine is plugged into the AC extension cord within a well-ventilated area and the extension cord plugs into an electrical outlet. The length of the electrical cord on the battery charger needs to be short to prevent damage or running over it. There is a high possibility for extreme danger if excess extension cord length dropped out of the battery charger storage area during operation. Once the scissor lift is plugged in, all of the lights on the charger should ideally become illuminated. Once the unit is plugged in, the batteries automatically start to charge. Once the unit is charged, the battery lights will turn green and the charger will turn off. Older scissor lift models rely on a meter to show whether zero volts have been attained after complete charging has occurred. This type of charger automatically shuts down as well once charging is done. After the scissor lift is completely charged, the unit

is ready to get back to work. Many places employ their scissor lift for 24 hours a day by having additional batteries continually charging.